

Message

---

**From:** Sanchez, Yolanda [Sanchez.Yolanda@epa.gov]  
**Sent:** 8/19/2020 7:09:21 PM  
**To:** Praskins, Wayne [Praskins.Wayne@epa.gov]  
**Subject:** RE: revised bldng RG letter  
**Attachments:** draft letter on HPNS Building RG Eval\_rev2\_ys.docx

We are almost there. I got really stuck on the different descriptions of contaminated dust/removable fraction. I tried to create consistency, but I may have failed! I changed the document title to "rev 2" because I already had a "rev 1" in my files.

Thank you,

Yolanda Sanchez  
U.S. EPA || Community Involvement for Superfund  
Desk: 415-972-3880

---

**From:** Praskins, Wayne <Praskins.Wayne@epa.gov>  
**Sent:** Tuesday, August 18, 2020 9:19 PM  
**To:** Sanchez, Yolanda <Sanchez.Yolanda@epa.gov>  
**Subject:** revised bldng RG letter

Yolanda –

Please see attached revised draft. Let's discuss tomorrow.

Wayne Praskins | Superfund Project Manager  
**U.S. Environmental Protection Agency Region 9**  
75 Hawthorne St. (SFD-7-3)  
San Francisco, CA 94105  
415-972-3181